



768
718

8 Pole M8 Panel Mount Connectors in Standard Housings

M8

Contacts	8
Rated current	1,5 A
Rated voltage	30 V
Degree of protection	IP 67
Contact plating	Au
Termination	single wires, dip solder contacts

The male and female panel mount connectors in standard housings are meant to enlarge the product portfolio for connector applications with high pole numbers in areas with limited space. Due to the different shapes of the housings and the application options this connector system can be used in various situations and offers flexibility to the customer.





8 Pole M8 Male Panel Mount Connectors in Standard Housings




Male panel mount connector with single wires, 8 x 0,14 mm²



Male panel mount connector, front fastened, with single wires, 8 x 0,14 mm²



Male panel mount connector, front fastened, with dip solder contacts



Contacts	Bestell-Nr.
8	09 3487 00 08


Contacts	Ordering-Nr.
8	09 3487 86 08

Contacts	Ordering-Nr.
8	09 3487 81 08



8 Pole M8 Female Panel Mount Connectors in Standard Housings




Female panel mount connector with single wires, 8 x 0,14 mm²



Female panel mount connector, front fastened, with single wires, 8 x 0,14 mm²



Female panel mount connector, front fastened, with dip solder contacts



Contacts	Ordering-Nr.
8	09 3486 00 08

Contacts	Ordering-Nr.
8	09 3486 86 08

Contacts	Ordering-Nr.
8	09 3486 80 08